

ABRASIVES

10 X 330 BELTS



FOR GENERAL PURPOSE METAL WORK

Used on 10mm belt sanders such as ALLIANCE AL-5010 (page A-18) and SHINANO SI-2700 (page D-24).

PART NO.	SIZE MM	GRIT	PACK
AA-10330040	10 x 330	40	10
AA-10330060	10 x 330	60	10
AA-10330080	10 x 330	80	10
AA-10330120	10 x 330	120	10

20 X 520 BELTS




FOR GENERAL PURPOSE METAL WORK

Used on 20mm belt sanders such as ALLIANCE AL-5020 (page A-18) and SHINANO SI-2800 (page D-24).

PART NO.	SIZE MM	GRIT	PACK
AA-20520040	20 x 520	40	10
AA-20520060	20 x 520	60	10
AA-20520080	20 x 520	80	10
AA-20520120	20 x 520	120	10

30 X 540 BELTS



FOR GENERAL PURPOSE METAL WORK

Used on 30mm belt sanders such as SHINANO SI-2830 (page D-24).

PART NO.	SIZE MM	GRIT	PACK
AA-30540040	30 x 540	40	10
AA-30540060	30 x 540	60	10
AA-30540080	30 x 540	80	10
AA-30540120	30 x 540	120	10

50MM QUICK MOUNT DISCS



FOR GENERAL PURPOSE METAL WORK

Used on 50mm Quick Change Disc Sanders such as ALLIANCE AL-1552 (page A-18) SHINANO SI-2201R (page D-26).

PART NO.	SIZE MM	GRIT	PACK
AA-QMD50024	50Ø	24	10
AA-QMD50040	50Ø	40	10
AA-QMD50060	50Ø	60	10
AA-QMD50080	50Ø	80	10
AA-QMD50120	50Ø	120	10

ABRASIVES

75MM QUICK MOUNT DISCS




FOR GENERAL PURPOSE METAL WORK

Used on 75mm Quick Change Disc Sanders such as ALLIANCE AL-1553 (page A-18) SHINANO SI-2210R (page D-27).

PART NO.	SIZE MM	GRIT	PACK
AA-QMD75040	Ø75	40	10
AA-QMD75060	Ø75	60	10
AA-QMD75080	Ø75	80	10
AA-QMD75120	Ø75	120	10

75 X 110 HOOK & LOOP SHEETS



FOR GENERAL PURPOSE TIMBER WORK

Used on Mini Orbital Sanders such as SHINANO SI-3001A, SI-3011A, SI-3003A and SI-3013A (pages D-28 & D-29).

PART NO.	SIZE MM	GRIT	PACK
AA-HLS75110040	75 x 110	40	Each
AA-HLS75110060	75 x 110	60	Each
AA-HLS75110080	75 x 110	80	Each
AA-HLS75110120	75 x 110	120	Each
AA-HLS75110180	75 x 110	180	Each
AA-HLS75110240	75 x 110	240	Each
AA-HLS75110320	75 x 110	320	Each

50MM HOOK & LOOP DISCS



FOR GENERAL PURPOSE SANDING WORK

Used on 50mm Sanders such as SHINANO SI-2108 and SI-2107A (pages D-29 & D-30).

PART NO.	GRIT	PACK
AA-2107A060	60	10
AA-2107A080	80	10
AA-2107A120	120	10
AA-2107A150	150	10
AA-2107A240	240	10
AA-2107A400	400	10
AA-2107A600	600	10

75MM HOOK & LOOP DISCS



FOR GENERAL PURPOSE SANDING WORK

Used on 75mm Sanders such as ALLIANCE AL-1554 (see page A-19), SHINANO SI-2009H (see page D-26) and SI-2110 (page D-30) and SI-3102 AND SI-3112 (page D-31)

PART NO.	GRIT	PACK
AA-3102040	40	10
AA-3102060	60	10
AA-3102080	80	10
AA-3102120	120	10
AA-3102240	240	10

HOOK & LOOP TRIANGLES



Used on Triangle Pad Sanders such as SI-3200AS (page D-29).

PART NO.	GRIT	PACK
AA-3200AS040	40	10
AA-3200AS060	60	10
AA-3200AS080	80	10
AA-3200AS150	150	10
AA-3200AS240	240	10

ABRASIVES

50MM QUICK MOUNT DISCS



SURFACE CONDITIONING

2" Surface Conditioning Discs for gasket removal and cleaning of metal surfaces. Used on 50mm Quick Change Disc Sanders such as ALLIANCE AL-1552 (page A-18) and SHINANO SI-2201-R (page D-26).

PART NO.	SIZE MM	COLOURS	GRIT	PACK
AA-SCD50BLF	50Ø	Blue	Fine	10
AA-SCD50MAM	50Ø	Maroon	Medium	10
AA-SCD50BRC	50Ø	Brown	Coarse	10

75MM QUICK MOUNT DISCS



SURFACE CONDITIONING

3" Surface Conditioning Discs for gasket removal and cleaning of metal surfaces. Used on 75mm Quick Change Disc Sanders such as ALLIANCE AL-1553 (page A-18) and SHINANO SI-2210R (page D-27).

PART NO.	SIZE MM	COLOURS	GRIT	PACK
AA-SCD75BLF	75Ø	Blue	Fine	10
AA-SCD75MAM	75Ø	Maroon	Medium	10
AA-SCD75BRC	75Ø	Brown	Coarse	10

AA-205DK



50MM SURFACE CONDITIONING DISC KIT

INCLUDES BACKING PAD, MANDREL AND 4 SURFACE CONDITIONING DISCS

For use on 50mm sanding tools such as ALLIANCE AL-1322 (page A-10), ALLIANCE AL-1552 (page A-18), SHINANO SI-2005 (see page D-6), SHINANO SI-2006S (page D-6) and SHINANO SI-2201R (page D-26). Free speed of tools used with this kit must not exceed 30,000rpm.

Kit includes RD050 50mm Backing Pad, EM4 Mandrel, 2 x blue 50mm discs, 1 x maroon 50mm disc and 1 x brown 50mm disc.

AA-305DK



75MM SURFACE CONDITIONING DISC KIT

INCLUDES BACKING PAD, MANDREL AND 4 SURFACE CONDITIONING DISCS

For use on 75mm sanding tools such as ALLIANCE AL-1553 (page A-18), SHINANO SI-2005 (page D-6), SHINANO SI-2006S (page D-6), SHINANO SI-2202 (see page D-26) and SHINANO SI-2210R (page D-27). Free speed of tools used with this kit must not exceed 20,000rpm.

Kit includes RD075 backing pad, EM4 mandrel, 2 x blue 75mm discs, 1 x maroon 75mm disc & 1 x brown 75mm disc.

ABRASIVES

AA-760908



75MM CUT-OFF WHEEL

WHEEL THICKNESS	1.2mm dia.
CENTRE HOLE	9.35mm dia.

Used on ALLIANCE AL-1340 (page A-13) and SHINANO SI-2033 (page D-16).

AA-340-57



30MM GRINDING CUP-WHEEL

CENTRE THREAD	M7 x 0.75
---------------	-----------

Max operating speed 25000rpm. Used on SHINANO SI-2050AG (page D-7).

AA-C1330-36



50MM GRINDING DISC

CENTRE HOLE	9.6mm dia.
-------------	------------

Used on ALLIANCE AL-1330 (page A-6).

AA-RS1



100MM CLEAN AND STRIP DISC

CENTRE HOLE	16mm dia.
MOS	15300 rpm

Used on ALLIANCE AL-1331 (page A-6), AL-1344 (page A-7), SHINANO SI-2500L (page D-7), SHINANO SI-250IL (page D-7) and TOP CAT 400RA4KSR (page E-15).

AA-RS2



115MM CLEAN AND STRIP DISC

CENTRE HOLE	22mm dia.
MOS	13300 rpm

Used on ALLIANCE AL-1335 (page A-6), AL-1336 (page A-19) AL-1344 (page A-7), SHINANO SI-2505L (page D-8).

AA-RS3



125MM CLEAN AND STRIP DISC

CENTRE HOLE	22mm dia.
MOS	12150 rpm

Used on ALLIANCE AL-1335 (page A-6), AL-1336 (page A-19), SHINANO SI-2505L (page D-8), SHINANO SI-2515LA (page D-8) and TOP CAT 400RAE2KSR (page E-15).

ABRASIVES

AA-P7712-A1



100MM WOVEN CLEANING & CONDITIONING DISC

CENTRE HOLE	16mm dia.
MOS	10,000 rpm

Used on ALLIANCE AL-1335 (page A-6), ALLIANCE AL-1336 (page A-9), ALLIANCE AL-1344 (page A-7), SHINANO AL-2500L (page D-7) and SHINANO SI-2501L (page D-7).

AA-P7712-A2




100MM CLEAN & STRIP DISC

CENTRE HOLE	16mm dia.
MOS	10,000 rpm

Used on ALLIANCE AL-1335 (page A-6), ALLIANCE AL-1336 (page A-9), ALLIANCE AL-1344 (page A-7), SHINANO SI-2500L (page D-7) and SHINANO SI-2501L (page D-7).

AA-P7712-A3



100MM WOOL POLISHING & BUFFING DISC

CENTRE HOLE	16mm dia.
MOS	10,000 rpm

Used on ALLIANCE AL-1335 (page A-6), ALLIANCE AL-1336 (page A-9), ALLIANCE AL-1344 (page A-7), SHINANO SI-2500L (page D-7) and SHINANO SI-2501L (page D-7).

AA-P7712-A4



100MM FLAP DISC

CENTRE HOLE	16mm dia.
MOS	10,000 rpm

Used on ALLIANCE AL-1335 (page A-6), ALLIANCE AL-1336 (page A-9), ALLIANCE AL-1344 (page A-7), SHINANO AL-2500L (page D-7) and SHINANO SI-2501L (page D-7).