

## ACCESSORIES

### AA-400-8



#### CHISEL RETAINER SPRING

Used for retaining chisels on air hammers such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-5001



#### QUICK CHANGE CHISEL RETAINER

TAKES 10.2MM ROUND SHANK CHISELS

LENGTH 70mm

An option to using the 400-8 retaining spring. Has the added advantage of making it quick and easy to change from one chisel to another. Used on air hammers such as SHINANO SI-4120A (page D-9) and ALLIANCE AL-4200 and AL-4202K (page A-11).

### SAN-18 / 24 / 32



#### SWEDISH BI-METAL BLADES FOR RECIPROCATING SAWS

PACKS OF 10 BLADES OF SAME TYPE – 18, 24 OR 32 TEETH PER INCH

PART NO.	TPI	PACK
SAN-18P	18	10
SAN-24P	24	10
SAN-32P	32	10

Packs of 10 reciprocating saw blades, made in Sweden. Used on SHINANO SI-4700B, SI-4710, SI-4730 (page D-34) and ALLIANCE AL-1781, AL-1782 (page A-24).

### ATC-14P / 18P/ 24P/ 32P



#### BI-METAL BLADES FOR RECIPROCATING SAWS


PACKS OF 10 BLADES OF SAME TYPE - 14, 18, 24 OR 32 TEETH PER INCH

PART NO.	TPI	PACK
ATC-14P	14	10
ATC-18P	18	10
ATC-24P	24	10
ATC-32P	32	10

Packs of 10 reciprocating saw blades in 4 grades of TPI depending on how fine or fast a cut is required. Used on SHINANO SI-4700B, SI-4710, SI-4730 (page D-34) and ALLIANCE AL-1781, AL-1782 (page A-24).

## ACCESSORIES

### NEEDLES FOR NEEDLE SCALERS - STANDARD



#### TAPER FIT / FLAT, CHISEL OR POINTED TIP / 2, 3 OR 4MM DIAMETER

PART NO.	NEEDLE Ø	NEEDLE TYPE
C6000-2FTC	2mm	Flat Tip Carbon Steel
C6000-3FTC	3mm	Flat Tip Carbon Steel
C6000-3CTC	3mm	Chisel Tip Carbon Steel
C6000-3PTC	3mm	Pointed Tip Carbon Steel
C6000-4FTC	4mm	Flat Tip Carbon Steel
C6000-4CTC	4mm	Chisel Tip Carbon Steel

Range of needles for all needle scalers using taper fit heads. Needle diameter must match the needle holder hole size. Flat tip needles reduce marking on metal surfaces and can have a polishing effect. Chisel and pointed tip needles are more aggressive than flat tip needles and cause surface indentation. They are used where roughening or keying of the surface is required. Used in SHINANO SI-4150 (page D-15), ALLIANCE AL-6000 (page A-13) and TRELAUNY needle scalers (page I-24 & I-25).

### C6000-3FTB



#### NEEDLES FOR NEEDLE SCALERS – NON SPARKING

TAPER FIT / FLAT TIP / 3MMØ / BERYLLIUM COPPER

Beryllium copper needles are non-sparking which is essential for potentially hazardous areas. Only available in 3mm diameter and with flat tip. Used in SHINANO SI-4150 (page D-15), ALLIANCE AL-6000 (page A-13) and TRELAUNY needle scalers (page I-24 & I-25).

### AA-5000



#### NEEDLE SCALER ATTACHMENT

NEEDLES	19 x 3mm
LENGTH	215mm
WEIGHT	0.9kg

Converts an air hammer to a needle scaler for removal of rust, paint, scale, flux and weld spatter on irregular surfaces, corners, depressions and hard-to-reach areas. Not recommended for heavy, extended or industrial use. Used on air hammers such as SHINANO SI-4120A (page D-9) and ALLIANCE AL-4200 and AL-4202K (page A-11).

### H320A




#### STRAIGHT OFFSET SEALANT BLADE

57MM LONG

Used on sealant knives such as SHINANO SI-3200AK (page D-36).

## ACCESSORIES

### H320B



#### STRAIGHT OFFSET SEALANT BLADE

90MM LONG

Used on sealant knives such as SHINANO SI-3200AK (page D-36).

### H320C



#### STRAIGHT SEALANT BLADE

35MM LONG

Used on sealant knives such as SHINANO SI-3200AK (page D-36).

### H320D



#### 90° SEALANT BLADE

63MM LONG

Used on sealant knives such as SHINANO SI-3200AK (page D-36).

### H320E



#### 90° SEALANT BLADE

90MM LONG

Used on sealant knives such as SHINANO SI-3200AK (page D-36).

### AA-801



115mm long x 30mmØ

#### TIE ROD TOOL

FOR UNIVERSAL JOINTS / 10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-802



165mm long x 32mm wide

#### TAIL PIPE CUTTER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-803



155mm long x 32mm wide

#### FORK

16MM OPENING / 10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-803J



174mm long x 41mm wide

#### FORK

BALL JOINT SEPARATOR / 25MM OPENING / 10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-804



150mm long x 35mm wide

#### STRAIGHT BUSHING REMOVER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

## ACCESSORIES

### AA-805

166mm long x 32mm wide



#### CRANKED WIDE CHISEL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-806

166mm long x 13mm wide



#### BUSHING SPLITTER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-807

152mm long x 17mm wide



#### SHEET METAL CUTTER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-808

172mm long x 16mm wide




#### MUFFLER CUTTER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-809

168mm long x 18mm wide



#### DOUBLE EDGE PANEL CUTTER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-810

176mm long x 19mm wide



#### FLAT CHISEL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-811

229mm long x 19mm wide



#### FLAT CHISEL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-812

168mm long x 13mm dia.



#### TAPER PUNCH

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-813

152mm long x 20mm wide



#### RIVET CUTTER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

## ACCESSORIES

### AA-814

180mm long x 13mm dia.



#### BLANK

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-815

146mm long x 19mm wide



#### SPOT WELD BREAKER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-816

146mm long x 19mm wide



#### SHEET METAL CUTTER

SINGLE END CUTTER / 10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-817

127mm long x 33mm dia.



#### BUSHING DRIVER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-818

178mm long x 20mm wide



#### CRANKED FLAT CHISEL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-819

147mm long x 13mm dia.




#### SHEET METAL PUNCH

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-820

183mm long x 90mm wide



#### PANEL CRIMPER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-821

102mm long x 30mm dia.



#### SMOOTHING TOOL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-822

148mm long x 9mm dia.



#### STRAIGHT PUNCH

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

## ACCESSORIES

### AA-823



178mm long x 60mm wide

#### PAINT SCRAPER

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-824



145mm long x 19mm wide

#### SHOCK ABSORBER CHISEL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-825



178mm long x 13mm dia.

#### MOIL POINT

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-PC-1



103mm long x 36mm dia.

#### PITTSBURG TOOL

10.2MM ROUND SHANK

Used on air hammers with 10.2mm round shank such as SHINANO SI-4120A (page D-9), ALLIANCE AL-4200, AL-4202K (page A-11) and IAT-2511 (page C-5).

### AA-RC3838L



#### 10MM LIGHT DUTY METAL DRILL CHUCK WITH KEY

1-10mm capacity – 3/8"-24 mount  
 Takes Key No. CK-38L

### AA-RC3838H



#### 10MM HEAVY DUTY METAL DRILL CHUCK WITH KEY

1-10mm capacity – 3/8"-24 mount  
 Takes Key No. CK-38H

### AA-RC1238



#### 13MM LIGHT DUTY METAL DRILL CHUCK WITH KEY

1-13mm capacity – 3/8"-24 mount  
 Takes Key No. CK-12

### AA-KL3838



#### 10MM PLASTIC KEYLESS DRILL CHUCK

1-10mm capacity – 3/8"-24 mount

### AA-KL1238



#### 12MM PLASTIC KEYLESS DRILL CHUCK

1-12mm capacity – 3/8"-24 mount

## ACCESSORIES

### AA-KP1438M



#### 6MM HEAVY DUTY METAL KEYLESS DRILL CHUCK

0-6mm capacity – 3/8"-24 mount

### AA-KP3838M



#### 10MM HEAVY DUTY METAL KEYLESS DRILL CHUCK

0-10mm capacity – 3/8"-24 mount

### AA-KP1238M



#### 12MM HEAVY DUTY METAL KEYLESS DRILL CHUCK

0-12mm capacity – 3/8"-24 mount

### AA-100



#### RETAINER FOR HEX. SHANK BITS

Takes 1/4" hex. screwdriver bits & drill bits - 3/8"-24 mount.

### AA-330-19/24/25/26




#### DIE GRINDER COLLETS

Used in die and fan grinders such as SHINANO (pages D-5, D-6) and ALLIANCE (pages A-9, A-10).

PART NO.	SIZE
AA-330-24	1/4"
AA-330-25	1/8"
AA-330-19	6mm
AA-330-26	3mm

### AA-506P-56R



178mm long

#### ROUND FILE FOR RECIPROCATING SAW

Used in reciprocating saws that are designed to take files e.g. SHINANO SI-4710 and SI-4730 (page D-34) and ALLIANCE AL-1782 (page A-24).

### AA-506P-56S



178mm long

#### SQUARE FILE FOR RECIPROCATING SAWS

Used in reciprocating saws that are designed to take files e.g. SHINANO SI-4710 and SI-4730 (page D-34) and ALLIANCE AL-1782 (page A-24).

### AA-506P-56T



178mm long

#### TRIANGULAR FILE FOR RECIPROCATING SAW

Used in reciprocating saws that are designed to take files e.g. SHINANO SI-4710 and SI-4730 (page D-34) and ALLIANCE AL-1782 (page A-24).

### AA-5007



146mm long x 19mm dia.

#### IN-LINE MINI OILER

1/4"MBSP / 1/4"FBSP

Compact oiler which screws directly into any air tool with a 1/4" air inlet. Meters the proper amount of lubricant to the tool only when the tool is in use. All internal moving parts are coated and lubricated which improves torque and overall efficiency and helps protect the tool from wear and corrosion. The oiler is refillable with Air Tool Lubricant (page L-25)



## ACCESSORIES

### AA-5009



93mm long x 40mm dia.

#### IN-LINE FILTER

1/4" MBSP / 1/4" FBSP

Screws into the air inlet of air tools or spray guns to catch oil or water droplets and solid contaminants.

### AA-5011



45mm long x 25mm high

#### SPEED REGULATOR

1/4" MBSP / 1/4" FBSP

A small valve which screws into the air inlet of air tools and can be used to throttle the air going into the tool and thereby control the speed of the tool.

### AA-5012



52mm long x 23mm dia.

#### FINE ADJUSTMENT SPEED REGULATOR

1/4" MBSP / 1/4" FBSP

Similar to AA-5011 but has much finer adjustment.

### AA-5922




50mm long x 32mm high

#### 1/4" AIR INLET SWIVEL

1/4" MBSP / 1/4" FBSP

All direction swivelling connector for mounting between air tool and hose. Reduces operator fatigue and increases hose life.

### AA-5923



57mm long x 32mm high

#### 3/8" INLET SWIVEL

3/8" MBSP / 3/8" FBSP

Same as AA-5922 but with 3/8" BSP inlet and outlet for larger tools.

### AA-EM4



57mm long

#### EZ-LOK MANDREL

1/4" SHANK TO 1/4"-20 MALE THREAD

For use in die and fan grinders e.g. SHINANO (pages D-6) and ALLIANCE (pages A-9).

### D42



#### SPINDLE ADAPTOR

7/16"-20F TO 1/4"-20M (EZ-LOK)

For use on SHINANO SI-2210 (page D-27) to adapt thread to take EZ-LOK rubber back-up pads.

### D43



#### SPINDLE ADAPTOR

7/16"-20F TO SUIT TRIMKUT DISCS

For use on SHINANO SI-2210 (page D-27) to adapt thread to take TRIMKUT discs.

### D44



#### SPINDLE ADAPTOR

5/8"-11F – M14M

Adapts any tool with 5/8"-11 female spindle to take backing pads, brushes and abrasives with M14 x 2.0 male thread.



## ACCESSORIES

### RD050



#### 50MM EZ-LOK RUBBER BACK-UP PAD

Back-up pad for quick mount 50mm abrasive and surface conditioning discs.  
 Comes with EM4 adaptor. (page L-21)  
 Max. Operating speed 30 000rpm

For use on SHINANO SI-2201R & SI-2202 (page D-26) SI-2005, SI-2006 (page D-6) alliance AL-1552 (page A-18) and AL-1312 (page A-9).

### RD075



#### 75MM EZ-LOK RUBBER BACK-UP PAD

Back-up pad for 75mm quick mount abrasive and surface conditioning discs  
 Comes with EM4 adaptor (page L-21)  
 Max. Operating speed 20 000rpm

For use on SHINANO SI-2210R (page D-27) SI-2202 (page D-26), and ALLIANCE AL-1553 (page A-18), AL-1556 (page A-14) and ALLIANCE AL-1322 (page A-10).

### AA-60726




#### 150MM ORBITAL SANDING PAD

5/16"-24 MALE THREAD

Fibreglass Backing  
 Riveted Shaft Plate  
 9mm Thick Foam  
 Vinyl Face  
 6 Hole Pattern

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### AA-60796




#### 150MM ORBITAL SANDING PAD

5/16"-24 MALE THREAD

Fibreglass Backing  
 Riveted Shaft Plate  
 9mm Thick Foam  
 Hook & Loop Face  
 6 Hole Pattern

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### AA-60797




#### 150MM ORBITAL SANDING PAD

5/16"-24 MALE THREAD

Fibreglass Backing  
 Riveted Shaft Plate  
 9mm Thick Foam  
 Hook & Loop Face  
 7 Hole Pattern

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### AA-60798



#### 150MM ORBITAL SANDING PAD

5/16"-24 MALE THREAD

Fibreglass Backing  
 Riveted Shaft Plate  
 9mm Thick Foam  
 Hook & Loop Face  
 52 Hole Pattern

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

## ACCESSORIES

### EZ-6636



#### 150MM ORBITAL SANDING PAD 5/16"-24 MALE THREAD

Fully Moulded Construction  
 7mm thick foam  
 Vinyl Face  
 No holes  
 Made in USA

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### EZ-6636K



#### 150MM ORBITAL SANDING PAD 5/16"-24 MALE THREAD

Fully Moulded Construction  
 7mm thick foam  
 Hook & Loop Face  
 No holes  
 Made in USA

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### EZ-6636V



#### 150MM ORBITAL SANDING PAD 5/16"-24 MALE THREAD

Fully Moulded Construction  
 7mm thick foam  
 Vinyl Face  
 6 Hole pattern  
 Made in USA

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### EZ-6636KV



#### 150MM ORBITAL SANDING PAD 5/16"-24 MALE THREAD

Fully Moulded Construction  
 7mm thick foam  
 Hook & Loop Face  
 6 Hole pattern  
 Perimeter Ducts  
 Made in USA

For use on all SHINANO 150mm sanders (page D-32 & D-33) and ALLIANCE 150mm sanders (pages A-19 & A-20).

### AA-136A-5V



#### 125MM SANDING PAD 5/8"-11 FEMALE THREAD

Plastic Backing  
 14mm thick foam  
 Hook & Loop Face  
 No holes

For use on SHINANO SI-2026 (page D-27).

### AA-136A-7V



#### 180MM SANDING PAD 5/8"-11 FEMALE THREAD

Plastic Backing  
 14mm thick foam  
 Hook & Loop Face  
 No holes



For use on SHINANO SI-2451 (page D-19) & SI-2351 (page D-27).

## ACCESSORIES


### RIBBED RUBBER SANDING PADS

#### The Star Performer

MADE IN U.S.A.



CENTRE NUT



PIN WRENCH

### RIBBED RUBBER PADS - SPECIFICATIONS

PRODUCT	CODE	DESCRIPTION
Backing Pads	SP-F400-R10125	100mm (4") soft rubber, M10x1.25 centre thread
	SP-F400-R10150	100mm (4") soft rubber, M10x1.50 centre thread
	SP-H500-14	125mm (5") rigid, 14mm centre thread, max 10000rpm
	SP-RHS500-14	125mm (5") high speed, 14mm centre thread, max 13000rpm
	SP-H500-R	125mm (5") rigid, 5/8"-11 centre thread, max 10000rpm
	SP-RHS500-R	125mm (5") high speed, 5/8"-11 centre thread, max 13000rpm
	SP-R700-14	178mm (7") medium rubber, M14x2.00 centre thread
	SP-R700-R	178mm (7") medium rubber, 5/8"-11 centre thread
	SP-R700-RSP14	178mm (7") medium rubber, splined centre hole for SI-2600L
	SP-H900-14	230mm (9") hard rubber, M14 x 2.00 centre thread
	SP-H900-R	230mm (9") hard rubber, 5/8"-11 centre thread
Accessories	SP-103-10125	Centre Nut M10 x 1.25 thread
	SP-103-10150	Centre Nut M10 x 1.50 thread
	SP-102-14	Centre Nut M14 x 2.00 thread
	SP-102-58011	Centre Nut 5/8"-11 thread
	SP-102SPWR	Pin Wrench for centre nuts

## ACCESSORIES

### 406ES



#### STANDARD ERASER WHEEL

5/16"-24 MALE THREAD

Used by automotive painters for removal of pin stripes before painting. Also erases marks on plastics and painted surfaces. Max operating speed 4000rpm. For use on ALLIANCE AL-1341 (page A-14) or with the 406EM Mandrel, on any straight or pistol drill of appropriate speed.

### 406ET



#### TOOTHED ERASER WHEEL

5/16"-24 MALE THREAD

Same as 406E but with 'toothed' effect which helps to prevent 'burning'. Max operating speed 4000rpm. For use on ALLIANCE AL-1341 (page A-14) or with the 406EM Mandrel, on any straight or pistol drill of appropriate speed.

### 406EM



#### ERASER WHEEL MANDREL

1/4" SHANK TO 5/16"-24 FEMALE THREAD

Adapts drill chuck or 1/4" collet to Eraser Wheels.

### AIR TOOL LUBRICANT



#### REDUCES WEAR / MAINTAINS PERFORMANCE / AVAILABLE IN 5 SIZES OF BOTTLES

Formulated for better performance and reduced wear in air tools, air cylinders and other pneumatic equipment.

32 Grade

PART NO.	SIZE
ATL-00250	250ml
ATL-00500	500ml
ATL-01000	1 litre
ATL-05000	5 litre
ATL-20000	20 litre

### COMPRESSOR OIL



#### FOR SMALL PISTON COMPRESSORS / AVAILABLE IN 2 SIZES

A specially formulated oil for use in small reciprocating air compressors.

46 Grade

PART NO.	SIZE
ACO-1000	1 litre
ACO-5000	5 litre