


## SANDERS

### AL-5010



#### 10MM BELT SANDER

BELT SIZE	10 x 330mm
BELT SPEED	16 000rpm
MAX. AIR CONS	453L/min 16cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	0.9kg
WIDTH	86mm

Narrow belt sander for use with 10mm wide abrasive belts or surface finishing belts. Used for light grinding, de-burring, cleaning, finishing and polishing in tight locations and small items. Arm angle is easily adjusted to suit the application.

### AL-5020




#### 20MM BELT SANDER

BELT SIZE	20 x 520mm
BELT SPEED	16000rpm
MAX. AIR CONS	538L/min 19cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	2.6kg
WIDTH	91mm

Similar tool to the AL-5010 but with 20mm wide belt to do the job faster. Used with standard abrasive cloth belts or surface finishing belts for similar applications as the 10mm model.

### AL-1552

**NEW  
MODEL**



#### 50MM QUICK CHANGE DISC SANDER

COMPOSITE BODY / 50MM RUBBER BACKING PAD FOR EZ-LOC DISCS / VARIABLE SPEED / NOISE REDUCED

DISC SIZE	50mm
SPINDLE THREAD	¼"-20
FREE SPEED	16000rpm
NOISE LEVEL	73dB(A) (±2)
AV. AIR CONS	170L/min 6cfm
AIR INLET SIZE	¼"NPT
NET WEIGHT	0.7kg
WIDTH	50mm


50mm sander with Ez-loc back-up pad for quick and easy change of abrasive and surface conditioning discs. Also features the improved muffler design which reduces noise without speed or torque reduction.

**SINGLE  
ACTION**



### AL-1553

**NEW  
MODEL**



#### 75MM QUICK CHANGE DISC SANDER

COMPOSITE BODY / 75MM RUBBER BACKING PAD FOR EZ-LOC DISCS / VARIABLE SPEED / NOISE REDUCED

PAD SIZE	75mm
FREE SPEED	16000rpm
AIR INLET SIZE	¼" NPT
MAX AIR CONS	170L/min 6cfm
NET WEIGHT	0.7kg
WIDTH	127mm

High speed disc sander supplied with 78mm, 116mm, 142mm fibrous backing discs. Ideal for paint removal, shaping body filler patches, rust removal, de-burring, weld cleaning, metal finishing etc.

**SINGLE  
ACTION**



### AL-1553K

**NEW  
MODEL**



#### 75MM QUICK CHANGE DISC SANDER

COMPOSITE BODY / 75MM RUBBER BACKING PAD FOR EZ-LOC DISCS / VARIABLE SPEED / NOISE REDUCED

PAD SIZE	75mm
FREE SPEED	16000rpm
AIR INLET SIZE	¼" NPT
MAX AIR CONS	170L/min 6cfm
WIDTH	127mm

High speed disc sander supplied with 78mm, 116mm, 142mm fibrous backing discs. Ideal for paint removal, shaping body filler patches, rust removal, de-burring, weld cleaning, metal finishing etc.

**SINGLE  
ACTION**



## SANDERS

### AL-1554

**NEW  
MODEL**



#### 75MM SINGLE ACTION SANDER

COMPOSITE BODY / HOOK & LOOP PAD /  
VARIABLE SPEED / NOISE REDUCED

PAD SIZE	76mm
SPINDLE THREAD	5/16"-24
FREE SPEED	15000rpm
NOISE LEVEL	73dB(A) (±2)
AV. AIR CONS	170L/min 6cfm
AIR INLET SIZE	¼"NPT
NET WEIGHT	0.72kg
WIDTH	76mm

New model 75mm sander for sanding small and difficult to access areas. Also features improved muffler design which reduces noise without speed or torque reduction.

### AL-1554K

**NEW  
MODEL**



#### 75MM SINGLE ACTION SANDER KIT

COMPOSITE BODY / HOOK & LOOP PAD /  
VARIABLE SPEED / NOISE REDUCED

PAD SIZE	76mm
SPINDLE THREAD	5/16"-24
FREE SPEED	15000rpm
NOISE LEVEL	73dB(A) (±2)
AV. AIR CONS	170L/min 6cfm
AIR INLET SIZE	¼"NPT
WIDTH	76mm

AL-1554 in a blow moulded case with a 50mm and 75mm backing pad and a range of 50mm and 75mm sanding discs.

### AL-1336



#### 125MM ANGLE SANDER KIT

POLYMER BODY COVER /  
SAFETY THROTTLE LEVER

CENTRE HOLE	16mm
FREE SPEED	10 000rpm
MAX. AIR CONS	538L/min 19cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT (TOOL)	1.3kg
WIDTH	170mm

5" angle sander in a kit with a variety of 125mm sanding and polishing discs and 70mm surface conditioning discs. Ideal for use where various types of sanding tasks are performed in the one workshop.



### AL-1550



#### HIGH SPEED DISC SANDER

CENTRE HOLE	22mm
PAD SIZE	100, 127mm
FREE SPEED	18000rpm
AIR INLET SIZE	¼" NPT
MAX AIR CONS	425L/min 15cfm
NET WEIGHT	2.7kg
WIDTH	127mm

High speed disc sander supplied with 78mm, 116mm, 142mm fibrous backing discs. Ideal for paint removal, shaping body filler patches, rust removal, de-burring, weld cleaning, metal finishing etc.



### AL-1551

**NEW  
MODEL**



#### 125MM HIGH SPEED DISC SANDER

COMPOSITE BODY / NOISE REDUCED

PAD SIZE	127mm
SPINDLE THREAD	7/16"-20
FREE SPEED	16000rpm
NOISE LEVEL	73dB(A) (±2)
AIR INLET SIZE	¼" NPT
AV. AIR CONS	170L/min 6cfm
NET WEIGHT	1.3kg
WIDTH	127mm

Similar tool to AL-1550 with 127mm fibrous backing disc for use with fibre abrasive discs. Also features the improved muffler design reduces noise without speed or torque reduction.

### AL-1500



#### 150MM BAR HANDLE DUAL ACTION SANDER

VARIABLE SPEED

PAD SIZE	150mm
FREE SPEED	10000rpm
ORBIT DIA	5mm
MAX AIR CONS	397L/min 14cfm
NET WEIGHT	1.8kg
WIDTH	150mm

Multipurpose sander suitable for most sanding applications including fibreglass, auto body repair, furniture, etc. Bar handle allows a two handed operation and better control than a palm grip sander in some situations.



## SANDERS

### AL-1501



#### 150MM PALM GRIP DUAL ACTION SANDER

LIGHT WEIGHT PLASTIC RESIN SKIRT / SOFT GRIP / VARIABLE SPEED

PAD SIZE	150mm
FREE SPEED	10000rpm
ORBIT DIA	3mm
MAX AIR CONS	340L/min 12cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	0.96kg
WIDTH	150mm

Popular palm grip sander, used in many industries including auto body repair, fibreglass, furniture and white goods. A compact and light weight tool for continuous use.



### AL-1502



#### 150MM SELF-VAC DUAL ACTION PALM GRIP SANDER

LIGHT WEIGHT PLASTIC RESIN SKIRT / SOFT GRIP / VARIABLE SPEED / HOSE & DUST BAG

PAD SIZE	150mm
FREE SPEED	10000rpm
ORBIT DIA	3mm
MAX AIR CONS	340L/min 12cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	1.3kg
WIDTH	150mm

Same as AL-1501 but with dust collection system and bag.



### AL-1503



#### 150MM CENTRAL VAC PALM GRIP DUAL ACTION SANDER

LIGHT WEIGHT PLASTIC RESIN SKIRT / SOFT GRIP / VARIABLE SPEED

PAD SIZE	150mm
FREE SPEED	10000rpm
ORBIT DIA	3mm
MAX AIR CONS	340L/min 12cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	0.96kg
WIDTH	150mm

Same as AL-1501 but with a dust extraction system, so tool can be connected to a vacuum system for central dust collection.



### AL-1510

**NEW MODEL**



#### 150MM CENTRAL VAC PALM GRIP DUAL ACTION SANDER

LIGHTWEIGHT PLASTIC RESIN SKIRT / SOFT GRIP / VARIABLE SPEED

PAD SIZE	150mm
FREE SPEED	12,000rpm
ORBIT DIA	5mm
MAX AIR CONS	340L/min 12cfm
WEIGHT	0.85kg
AIR INLET SIZE	¼"NPT
WIDTH	150mm

Economy model for connection to central vacuum system.



### AL-1504



#### GEARED HEAD BAR HANDLE SANDER/POLISHER

VARIABLE SPEED / HANDLE EXHAUST / POLYMER GRIP

PAD SIZE	150mm
FREE SPEED	900rpm
ORBIT DIA	2.5mm
MAX AIR CONS	424L/min 15cfm
WEIGHT	1.3kg
WIDTH	235mm

Low speed, high torque bar handle sander for heavy sanding and polishing work. Gear mechanism increases sanding power.



### AL-1505



#### SELF-VAC GEARED HEAD BAR HANDLE SANDER/POLISHER

VARIABLE SPEED / HANDLE EXHAUST / POLYMER GRIP

PAD SIZE	150mm
FREE SPEED	900rpm
ORBIT DIA	2.5mm
MAX AIR CONS	424L/min 15cfm
WEIGHT	2kg
WIDTH	235mm

Same as AL-1504 but with a dust collection system and bag.



## SANDERS

### AL-1506



#### CENTRAL VAC BAR HANDLE GEARED HEAD SANDER/POLISHER

VARIABLE SPEED / HANDLE EXHAUST / POLYMER GRIP

PAD DIA	150mm
FREE SPEED	900rpm
MAX AIR CONS	424L/min 15cfm
ORBIT DIA	2.5mm
WEIGHT	1.3kg
WIDTH	152mm

GEARED



Same as AL-1504 but with dust extraction, so tool can be connected to a vacuum system for central dust collection.

### AL-3019



#### 1/2 SHEET SELF VAC ORBITAL SANDER

PAPER CLIPS TO SECURE ABRASIVE PAPER

PAD SIZE	112 X 220mm
FREE SPEED	10000rpm
MAX AIR CONS	397L/min 14cfm
AIR INLET	1/4"NPT
NET WEIGHT	2.33kg
WIDTH	114mm

ORBITAL



Use free 1/2-sheet sander for sanding large surface areas on furniture and auto panels. Supplied with dust collection bag and hose.

### AL-1512




#### STRAIGHT LINE FILE/SANDER

TWIN PISTON

PAD SIZE	67 x 400mm
STROKE SPEED	2500spm
STROKE LENGTH	25mm
MAX AIR CONS	340L/min 12cfm
NET WEIGHT	2.8kg
WIDTH	68mm

Narrow tool for sanding large flat surfaces with a two handed operation. Used mainly in the automotive body repair industry for body filler shaping on larger flat surfaces.

### AL-1580W



#### WET SANDER

PAD SIZE	75mm
FREE SPEED	4000rpm
AIR INLET SIZE	1/4"NPT
AIR CONS	227L/min 8cfm
NET WEIGHT	1.5kg
WIDTH	64mm

Used mainly in the stone, marble and glass industries for sanding small areas on ceramic and glass products and all materials requiring sanding with water.

SINGLE ACTION



## SANDERS

### AL-1513

**NEW  
MODEL**

#### STRAIGHT LINE SANDER

PALM GRIP / TWIN PISTON / HOOK & LOOP


STD. BASE PLATE	35 x 93mm
OPTIONAL BASE PLATES	60 x 100mm / 80 x 100mm
SPEED	4000spm
STROKE	4mm
AIR PRESSURE	6.2bar 90psi
AIR CONSUMPTION	110L/Min 3.9cfm
NET WEIGHT	0.7kg

Lightweight single hand sander with straight line action for working with the grain on flat timber surfaces and all shapes of milled timber mouldings.  
Twin in-line pistons give powerful sanding action with reduced noise and vibration for greater operator comfort.


Tool comes standard with 55 x 100mm sanding pad with paper clips. It also comes with a 35 x 93mm hook & loop base plate, 36 x 95 x 20 square rubber sanding block and 1 each 36 x 95 sanding sheets in 240 & 320 grits. The square rubber sanding block can be easily trimmed to conform to the shape being worked.

In addition to the above standard equipment there are two optional hook & loop base plates and 12 optional profiled sanding pads as shown on the following page.


Specially profiled sanding pads can also be ordered to suit customers' own moulding shapes. Samples of these are also shown on the following page.



#### Accessories supplied with AL-1513



Hook & Loop Base Plate – 28A



Square Rubber Sanding Block – 29A



36 x 95mm Sanding Sheets

### AL-1513K

**NEW  
MODEL**

#### STRAIGHT LINE SANDER KIT


INCLUDES AL-1513 SANDER AND THE ACCESSORIES SET OUT BELOW



#### Accessories supplied with AL-1513K



Hook & Loop Base Plate – 28A



Shaped Pads 29B-1 to 29G



36 x 95mm Sanding Sheets



## SANDERS

### AL-1513 ACCESSORIES

#### HOOK & LOOP BASE PLATES



28A - 35 x 93mm



28B - 60 x 100mm (optional)




28C - 80 x 100mm (optional)




HAND GRIP

Hook & Loop Face - 32A

#### OPTIONAL PROFILE SANDING PADS




29B - 1




29B - 2



29B - 3



29C - 1



29C - 2



29D - 1




29D - 2



29E - 1



29E - 2



29E - 3



29F - 1



29G - 1

#### SPECIAL MADE-TO-ORDER PROFILED SANDING PADS - EXAMPLES



Top of Balustrade  
moulding



Side of Balustrade  
moulding



Door edge



Picture Rail