

RATCHET WRENCHES

SI-1107B



1/4" MICRO MINI RATCHET WRENCH

REAR EXHAUST / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 6mm |
| FREE SPEED | 300rpm |
| MAX. TORQUE | 30Nm/22ft lb |
| AV. AIR CONS | 51L/min 1.8cfm |
| AIR INLET SIZE | 1/8" NPT |
| NET WEIGHT | 0.39kg |
| WIDTH | 36mm |

Micro mini ratchet wrenches are even smaller than the mini range. This is the tool for those tight, difficult-to-access jobs such as under-dashboard work.

SI-1108B




3/8" MICRO MINI RATCHET WRENCH

WOBBLE ANVIL / REAR EXHAUST / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 300rpm |
| MAX. TORQUE | 30Nm/22ft lb |
| AV. AIR CONS | 51L/min 1.8cfm |
| AIR INLET SIZE | 1/8" NPT |
| NET WEIGHT | 0.40kg |
| WIDTH | 36mm |

3/8" version of SI-1107B. Has the added advantage of a wobble anvil which is a specially shaped anvil which allows the socket to rotate at an angle like a universal joint. This enables the user to get into even tighter spaces. The wobble feature can be bypassed by pushing the socket further onto the anvil to lock it.



SI-1200B



1/4" MINI RATCHET WRENCH

REAR EXHAUST

| | |
|----------------|----------------|
| BOLT CAPACITY | 6mm |
| FREE SPEED | 200rpm |
| MAX. TORQUE | 35Nm/26ft lb |
| AV. AIR CONS | 45L/min 1.6cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.51kg |
| WIDTH | 36mm |

Compact size ratchet for tightening or loosening nuts and bolts in confined spaces. Used for light assembly and service work involving 1/4" bolts and nuts. Applications include appliance assembly, sheet metal assembly, small engine assembly and service, and under dashboard work.

SI-1207




1/4" MINI RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 6mm |
| FREE SPEED | 200rpm |
| MAX. TORQUE | 38Nm/28ft lb |
| AV. AIR CONS | 45L/min 1.6cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.54kg |
| WIDTH | 37mm |

Compact ratchet that has the added features over the SI-1200B of variable speed control and polymer body cover. Applications and uses are the same as SI-1200B.

SI-1251



1/4" MINI RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 6mm |
| FREE SPEED | 200rpm |
| MAX. TORQUE | 45Nm/33ft lb |
| AV. AIR CONS | 68L/min 2.4cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.56kg |
| WIDTH | 35mm |

More powerful model than SI-1200B and SI-1207. Has added advantage of forward and reverse slide switches at operators thumb tip making it a one handed operation. Ideal for situations where changing from forward to reverse is constant.

RATCHET WRENCHES

SI-1205B



3/8" MINI RATCHET WRENCH

REAR EXHAUST

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 220rpm |
| MAX. TORQUE | 40Nm/30ft lb |
| AV. AIR CONS | 45L/min 1.6cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.51kg |
| WIDTH | 35mm |

Similar tool to SI-1200B only with a 3/8" anvil.

SI-1208Q

NEW MODEL



3/8" MINI RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED / POLYMER BODY COVER / QUICK CHANGE SOCKET FUNCTION

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 240rpm |
| MAX. TORQUE | 40Nm/30ft lb |
| AV. AIR CONS | 65L/min 2.3cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.53kg |
| WIDTH | 40mm |

Similar to SI-1208 but features a quick socket release function. The button on the top of the tool, when depressed, releases the socket making it very convenient when using a range of different sockets in the one process.



Quick release

SI-1208




3/8" MINI RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 200rpm |
| MAX. TORQUE | 40Nm/30ft lb |
| AV. AIR CONS | 62L/min 2.2cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.54kg |
| WIDTH | 40mm |

3/8" version of SI-1207.

SI-1252



3/8" MINI RATCHET WRENCH


REAR EXHAUST / VARIABLE SPEED / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 260rpm |
| MAX. TORQUE | 47Nm/35ft lb |
| AV. AIR CONS | 68L/min 2.4cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.56kg |
| WIDTH | 38mm |

3/8" version of SI-1251 featuring the speed adjuster and forward and reverse slide switches.

SI-1241A

NEW MODEL



3/8" SWING HEAD RATCHET WRENCH


REAR EXHAUST / VARIABLE SPEED / POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 250rpm |
| MAX. TORQUE | 30Nm/22ft lb |
| AV. AIR CONS | 54L/min 1.9cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.63kg |
| WIDTH | 39mm |

Medium sized ratchet with a head that swings into 9 different positions making it possible to access areas where standard ratchets and spanners can't. The socket lock mechanism prevents the loss of sockets on the job.

RATCHET WRENCHES

SI-1261



3/8" STANDARD RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED
/ POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 170rpm |
| MAX. TORQUE | 110Nm/81ft lb |
| AV. AIR CONS | 85L/min 3.0cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 1.2kg |
| WIDTH | 44mm |

Heavy duty ratchet wrench with forward and reverse slide switches at thumb tip making it convenient to use. Ideal for situations where changing from forward to reverse is constant, particularly in assembly and service workshops.

SI-1320A




3/8" STANDARD RATCHET WRENCH

FRONT EXHAUST

| | |
|----------------|----------------|
| BOLT CAPACITY | 12mm |
| FREE SPEED | 160rpm |
| MAX. TORQUE | 80Nm/59ft lb |
| AV. AIR CONS | 77L/min 2.7cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 1.16kg |
| WIDTH | 44mm |

General purpose ratchet wrench for mechanical workshops and maintenance applications.

SI-1340B



3/8" STANDARD RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED
/ POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 12mm |
| FREE SPEED | 160rpm |
| MAX. TORQUE | 110Nm/81ft lb |
| AV. AIR CONS | 71L/min 2.5cfm |
| AIR INLET SIZE | 1/4"NPT |
| NET WEIGHT | 1.14kg |
| WIDTH | 41mm |

Premium quality ratchet wrench with speed regulator and polymer body cover. Planetary gear mechanism gives it a high power rating, reduced vibration and increased durability.

SI-1262



1/2" STANDARD RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED
/ POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 16mm |
| FREE SPEED | 170rpm |
| MAX. TORQUE | 115Nm/85ft lb |
| AV. AIR CONS | 85L/min 3.0cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 1.21kg |
| WIDTH | 42mm |

1/2" version of SI-1261.

SI-1325A




1/2" STANDARD RATCHET WRENCH

FRONT EXHAUST

| | |
|----------------|----------------|
| BOLT CAPACITY | 16mm |
| FREE SPEED | 160rpm |
| MAX. TORQUE | 90Nm/66ft lb |
| AV. AIR CONS | 71L/min 2.5cfm |
| AIR INLET SIZE | 1/4"NPT |
| NET WEIGHT | 1.17kg |
| WIDTH | 44mm |

Similar tool to SI-1320A only with a 1/2" anvil and increased torque.

SI-1345B



1/2" STANDARD RATCHET WRENCH

REAR EXHAUST / VARIABLE SPEED
/ POLYMER BODY COVER

| | |
|----------------|----------------|
| BOLT CAPACITY | 16mm |
| FREE SPEED | 160rpm |
| MAX. TORQUE | 115Nm/85ft lb |
| AV. AIR CONS | 71L/min 2.5cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 1.15kg |
| WIDTH | 42mm |

Similar to SI-1345B only with a 1/2" anvil.

RATCHET WRENCHES

SI-1435





1/2" LARGE RATCHET WRENCH

FRONT EXHAUST / HEAVY DUTY

| | |
|----------------|-----------------|
| BOLT CAPACITY | 20mm |
| FREE SPEED | 140rpm |
| MAX. TORQUE | 160Nm/118ft lb |
| AV. AIR CONS | 133L/min 4.7cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 1.95kg |
| WIDTH | 48mm |

Larger sized heavy duty industrial tool for use where higher torques are required. Applications include truck bullbars, structural steel work, guard rails, lighting poles, electric transmission towers and plough blades.

SI-1288S



THROUGH RATCHET WRENCH



17MM HEX. DR. / REAR EXHAUST

| | |
|----------------|----------------|
| BOLT CAPACITY | 10mm |
| FREE SPEED | 180rpm |
| MAX. TORQUE | 45Nm/33ft lb |
| AV. AIR CONS | 54L/min 1.9cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.54kg |
| WIDTH | 33mm |

Industrial quality ring type ratchet wrench with special insert sockets and high rundown speed for tightening operations where long studs or threaded rods are involved. Also used in confined spaces such as aluminium window assembly.

Available insert sockets are 8mm, 10mm, 11mm, 12mm, 13mm, 14mm and 3/8" sq. drive
Available special versions of this tool are: 13mm hex, 14mm hex, 15mm hex

SI-1288SK



THROUGH RATCHET WRENCH KIT

INCLUDES SI-1288S, 6 SOCKETS & 3/8" SQ. DR. ADAPTOR

| | |
|----------------|---|
| BOLT CAPACITY | 10mm |
| STD. SOCKETS | 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 3/8" Sq. Dr. |
| OPTIONS | 11mm, 13mm 3/8" Sq. Dr. |
| FREE SPEED | 180rpm |
| MAX. TORQUE | 45Nm/33ft lb |
| AV. AIR CONS | 54L/min 1.9cfm |
| AIR INLET SIZE | 1/4" NPT |
| NET WEIGHT | 0.54kg |
| WIDTH | 33mm |

SI-1288S in kit form.