

SANDERS

SI-2700



10MM BELT SANDER


SPEED CONTROLLER OPTIONAL

BELT SIZE	10 x 330mm
BELT SPEED	1100m/min
MAX. AIR CONS	467L/min 16.5cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	0.82kg
WIDTH	84mm

A robust tool for use with standard abrasive cloth belts or surface finishing belts. Used for light grinding, deburring, cleaning, finishing and polishing in tight locations and on small items. Can be used on most materials including metals, plastics, wood and fibreglass. Arm angle is easily adjusted to suit the job.

SI-2700L

**NEW
MODEL**



10MM LONG-BELT SANDER

SPEED CONTROLLER OPTIONAL

BELT SIZE	10 x 460mm
BELT SPEED	1100m/min
MAX. AIR CONS	467L/min 16.5cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	0.85kg
WIDTH	84mm


New model 10mm belt sander with longer arm for access into hollow work. This arm can also be used on convex surfaces such as pipe and tube. Arm rotates 120° for operating convenience. Also features a variable speed throttle. Uses are similar to SI-2700.



Front pulley

SI-2700LS

**NEW
MODEL**




13MM LONG BELT SANDER

SPEED CONTROLLER OPTIONAL

BELT SIZE	13 x 460mm
BELT SPEED	1100m/min
MAX. AIR CONS	467L/min 16.5cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	0.9kg
WIDTH	

Similar to SI-2700L but with 13mm wide belt. Uses are similar to SI-2700L except that the wider belt gives a wider sanding surface. Ideal for spot weld grinding.

SI-2800



20MM BELT SANDER


SPEED CONTROLLER OPTIONAL

BELT SIZE	20 x 520mm
BELT SPEED	2500m/min
MAX. AIR CONS	538L/min 19cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	1.43kg
WIDTH	102mm

Similar tool to SI-2700 but more powerful and with 20mm wide belt for faster working. Used with standard abrasive cloth belts or surface finishing belts for light grinding, deburring, cleaning, finishing and polishing in tight locations and on small items. An optional idler pulley attachment is available to enable the tool to be used on tubes and other convex surfaces.

For Idler Pulley model order SI-2800I

SI-2830



30MM BELT SANDER

SPEED CONTROLLER OPTIONAL

BELT SIZE	30 x 540mm
BELT SPEED	1900m/min
MAX. AIR CONS	750L/min 26.5cfm
AIR INLET SIZE	¼" NPT
NET WEIGHT	2.02kg
WIDTH	102mm

A robust high production sander with 30mm wide belts. It makes larger deburring, cleaning, finishing and polishing work easier. Fitted with side handle for better operation.


SANDERS

SI-2760

60MM BELT / DRUM SANDER

BELT SIZE	60 x 260mm
BELT SPEED	800m/min
MAX. AIR CONS	481L/min 17cfm
AIR INLET SIZE	1/4"NPT
NET WEIGHT	1.2kg
WIDTH	108mm

Multi function belt sander for sanding larger surface areas. Variety of different belts and wheels available for sanding timber and polishing metal products including stainless steel.



Accessory

Part No.

Contact Wheels for Sanding Belts

Rubber Contact



Sponge Contact

CWS-M



Sanding Belts

80 grit

RB-80



180 grit

RB-180



400 grit

RB-400



Polishing Equipments for Mirror Finish

Sisal Wheel
(#400)



Accessory

Part No.

B Cloth Wheel (#600)




Felt Belt
(#400 to #600)



S Cloth Wheel
(#800)



Buffing Compound
(#400)(#600)(#800)



Sanding Equipments for Hairline Finish

HL Wheel
(Coarse)

HLW-C



HL Belt
(Coarse)

HLB-C



HL Belt
(Medium)

HLB-M



SANDERS

SI-2050AGR

**NEW
MODEL**


25MM QUICK CHANGE DISC SANDER

25MM BACKING PAD FOR EZ-LOC DISCS / ROLL THROTTLE

DISC SIZE	25mm
SPINDLE THREAD	1/4" - 20
FREE SPEED	25000rpm
MAX. AIR CONS.	170L/min 6cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	0.23kg
WIDTH	35mm

A miniature sander supplied with a quick change back-up pad for quick and easy change of abrasive discs. Used for fine and intricate sanding on small work.

 SINGLE
ACTION


Accessories

25mm Backing Pad, order IAT-205-6810K

25mm Abrasive Discs available in 8 grits:

36 grit, order IAT-205-5010K

40 grit, order IAT-205-5020K

50 grit, order IAT-205-5030K

60 grit, order IAT-205-5040K

80 grit, order IAT-205-5050K


100 grit, order IAT-205-5060K

120grit, order IAT-205-5070K

180grit, order IAT-205-5080K



SI-2008

**NEW
MODEL**


50MM ANGLE DISC SANDER

50MM HOOK & LOOP BACKING PAD

DISC SIZE	50mm dia
SPINDLE THREAD	M6 x 1
FREE SPEED	13000rpm
MAX. AIR CONS	397L/min 14cfm
AIR INLET SIZE	1/4"NPT
NET WEIGHT	0.62kg
WIDTH	35mm

Heavy duty mini angle sander for sanding and polishing small and difficult to access areas. Supplied with 50mm sanding disc. Sponge pads and wool buffs are optional extras.

 SINGLE
ACTION


SI-2201R



50MM QUICK CHANGE DISC SANDER

50MM RUBBER BACKING PAD FOR EZ-LOK DISCS / VARIABLE SPEED

DISC SIZE	50mm dia
SPINDLE THREAD	1/4" - 20
FREE SPEED	17000rpm
MAX AIR CONS	354L/min 12.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	0.5 kg
WIDTH	50mm

50mm sander supplied with Ez-lok back-up pad and adaptor for quick and easy change of abrasive and surface conditioning discs. Used extensively in the auto repair trade.

 SINGLE
ACTION


SI-2009H

**NEW
MODEL**


75MM ANGLE DISC SANDER

75MM HOOK & LOOP BACKING PAD

DISC SIZE	75mm dia
SPINDLE THREAD	5/16" - 24
FREE SPEED	5000rpm
MAX AIR CONS	297L/min 10.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	0.68kg
WIDTH	145mm

New model 75mm sander for slow speed sanding or polishing. Supplied with 75mm hook & loop pad as well as sponge and wool buffs. Supplied with side handle for increased control.

 SINGLE
ACTION


SI-2202

**NEW
MODEL**


75MM PISTOL DISC SANDER

VARIABLE SPEED

DISC SIZE	75mm dia
SPINDLE THREAD	1/4" - 20
FREE SPEED	14000rpm
MAX AIR CONS	354L/min 12.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	0.46kg
WIDTH	

New model pistol sander designed for removal of surface rust and dressing welds in areas that are hard to access. Ez-lok back-up pads available for quick and easy changing of abrasive and surface conditioning discs.

For Ez-lock back-up pad order ...

 SINGLE
ACTION


SANDERS

SI-2210



100MM PISTOL DISC SANDER


100MM FIBRE BACKING DISC FOR FIBRE DISCS / VARIABLE SPEED

DISC SIZE	100 x 22CH
SPINDLE THREAD	7/16" - 20
FREE SPEED	18000rpm
MAX AIR CONS	552L/min 19.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	0.99kg
WIDTH	95mm

A versatile high speed sander with built-in speed regulator for paint removal, shaping body filler patches, weld cleaning & smoothing, rust removal, levelling, deburring stamped or machined parts, blending dimensional mis-matches, grind line conditioning, edge radiusing, cleaning & polishing & final finishing of metals.



SI-2210R



75MM QUICK CHANGE DISC SANDER

75MM RUBBER BACKING PAD FOR EZ-LOK DISCS / VARIABLE SPEED

DISC SIZE	75mm dia
FREE SPEED	18000rpm
MAX AIR CONS	552L/min 19.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	1.01kg
WIDTH	77mm

Same as SI-2210 but supplied with 75mm Ez-lok back-up pad and 3 grades of surface conditioning discs.

Adaptor also available for TRIM-KUT discs



SI-2026



125MM ANGLE DISC SANDER

125MM BACKING PAD FOR FIBRE DISCS / VARIABLE SPEED

DISC SIZE	125 x 22CH
SPINDLE THREAD	5/8" - 11
FREE SPEED	5000rpm
MAX AIR CONS	623L/min 22cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	1.5kg
WIDTH	185mm

A lightweight tool for weld blending & finish reworking in the automotive and white goods industries. Also useful for general deburring, cleaning and sanding in tight locations. Supplied with 125mm backing pad for use with standard 125mm abrasive discs.



SI-2300



180MM VERTICAL DISC SANDER


178MM PLASTIC BACKING PAD FOR FIBRE DISCS / VARIABLE SPEED

DISC SIZE	178 x 22CH
SPINDLE THREAD	5/8" - 11
FREE SPEED	4000rpm
MAX AIR CONS	552L/min 19.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	2.27kg
WIDTH	235mm

Suitable for general purpose jobs requiring full speed sanding. Uses standard abrasive discs for roughing-in auto body filler, weld smoothing, paint & rust removal. Can be used with surface conditioning discs for deburring, cleaning & polishing metal, wood & plastics, upgrading machined & scratched surfaces, gasket removal, parting line removal, corrosion removal & preparation of surfaces for coatings & adhesives. Optional Spiralcool rubber backing pad available.



SI-2351



180MM ANGLE DISC SANDER

178MM PLASTIC BACKING PAD FOR FIBRE DISCS

DISC SIZE	178 x 22CH
SPINDLE THREAD	5/8" - 11
FREE SPEED	4500rpm
MAX AIR CONS	581L/min 20.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	2.12kg
WIDTH	330mm

Powerful heavy duty tool with spiral bevel gears and adjustable speed control. Used for heavy rust removal, sanding of metal and shaping of automotive filler patches. Optional Spiralcool rubber backing pads available. Can be fitted with backing pad for use with surface conditioning discs for deburring, cleaning & polishing metal, wood & plastics. Also takes 150mm straight and 100mm cupped wire brushes.


Also Available

For this tool with 14mm spindle thread, order SI-2351M14



SANDERS


SI-3001A



MINI ORBITAL PALM GRIP SANDER

LIGHT WEIGHT PLASTIC SKIRT / VARIABLE SPEED

PAD SIZE	75 x 100mm
PAPER SIZE	75 X 110mm
PAPER MOUNT	Hook & Loop or PSA
FREE SPEED	9000rpm
ORBIT DIA	4mm
MAX AIR CONS	326L/min 12cfm
NET WEIGHT	0.8kg
WIDTH	75mm



Standard duty miniature palm grip sander for one handed operation in both woodworking and metalworking industries. Used for wet & dry sanding to finer finishes in automotive and whitegoods finishing shops when re-working small sections. Also suitable for use with surface conditioning sheets for sanding, defuzzing & top coat rubbing on wood and cleaning, sanding & polishing on metals. New triple pillar stud system for greater power and durability

ORBITAL




SI-3011A



SELF VAC MINI ORBITAL PALM GRIP SANDER

LIGHT WEIGHT PLASTIC SKIRT / VARIABLE SPEED

PAD SIZE	75 x 100mm
PAPER SIZE	75 X 110mm
PAPER MOUNT	Hook & Loop or PSA
FREE SPEED	9000rpm
ORBIT DIA	4mm
MAX AIR CONS	354L/min 12.5cfm
NET WEIGHT	1.15kg
WIDTH	75mm



ORBITAL



Same as SI-3001A sander but with dust collection system and portable collection bag. Can also be connected to a vacuum system. Exhaust is piped away. New triple pillar stud system for greater power and durability


SI-3003A



MINI ORBITAL PALM GRIP SANDER

HEAVY DUTY METAL SKIRT / VARIABLE SPEED

PAD SIZE	75 x 100mm
PAPER SIZE	75 X 110mm
PAPER MOUNT	Hook & Loop or PSA
FREE SPEED	8000rpm
ORBIT DIA	4mm
MAX AIR CONS	397L/min 14cfm
NET WEIGHT	1.05kg
WIDTH	75mm




ORBITAL



Heavy duty miniature palm grip sander, similar to SI-3001A but heavier duty and with metal skirt. Applications and uses are similar to SI-3001A. New triple pillar stud system for greater power and durability.

SANDERS

SI-3013A



SELF VAC MINI ORBITAL PALM GRIP SANDER


HEAVY DUTY METAL SKIRT / VARIABLE SPEED

PAD SIZE	75 x 100mm
PAPER SIZE	75 X 110mm
PAPER MOUNT	Hook & Loop or PSA
FREE SPEED	7000rpm
ORBIT DIA	4mm
MAX AIR CONS	326L/min 11.5cfm
NET WEIGHT	1.46kg
WIDTH	76mm

Same as SI-3003A but with dust collection system and bag. Can also be connected to a vacuum system. Exhaust is piped away. New triple pillar stud system for greater power and durability.



SI-3007



1/3 SHEET ORBITAL PALM GRIP SANDER


VARIABLE SPEED

PAD SIZE	95 x 175mm
PAPER SIZE	100 X 180mm
PAPER MOUNT	Paper Clips
FREE SPEED	7500rpm
ORBIT DIA	4.8mm
MAX AIR CONS	397L/min 14cfm
NET WEIGHT	1.82kg
WIDTH	95mm

Heavy duty 1/3 sheet sander for production use in the furniture industry. Takes standard or stick-on papers. Can take papers or surface conditioning sheets for rubbing down.



SI-3018A



1/3 SHEET SELF VAC BAR HANDLE ORBITAL SANDER


VARIABLE SPEED / HEAVY DUTY

PAD SIZE	95 x 175mm
PAPER SIZE	100 X 180mm
PAPER MOUNT	Hook & Loop or PSA
FREE SPEED	7000rpm
ORBIT DIA	4.8mm
MAX AIR CONS	439L/min 15.5cfm
NET WEIGHT	2.31kg
WIDTH	96mm

Heavy duty, dust free 1/3 sheet sander supplied with dust collection system and bag or can be connected direct to a vacuum system. Dual handles provide increased control. Mainly used in the furniture manufacturing industry. Exhaust is piped away



SI-3300



30MM OSCILLATING SANDER

PAD SIZE	30mm dia
PAPER MOUNT	PSA
SPINDLE THREAD	M6 x 1
FREE SPEED	6000rpm
MAX AIR CONS	142L/min 5cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	0.57kg
WIDTH	40mm

Small oscillating sander designed for sanding or polishing small or narrow surface areas. Used mainly for polishing small scratches, bubbles and marks or dust on auto panels and white goods



SI-3200AS



TRIANGLE PAD OSCILLATING SANDER

OSCILLATING ACTION / VARIABLE SPEED

PAD SIZE	70 x 75 x 75mm
PAPER MOUNT	Hook & loop
FREE SPEED	19000rpm
MAX AIR CONS	340L/min 12cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	0.65kg
WIDTH	70mm

Triangular pad sanders are ideal for sanding small areas particularly into corners where circular pads can't get into. The sides of the pad are curved and the edges bevelled making access to awkward areas easy. An ideal tool for fine and intricate work such as furniture, picture frames and kitchens.



SI-2108



50MM MINI DUAL ACTION SANDER

PAD SIZE	48mm dia
PAPER MOUNT	Hook & loop
SPINDLE THREAD	M6 x 1
FREE SPEED	12500rpm
ORBIT DIA	3mm
MAX AIR CONS	340L/min 12cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	0.62kg
WIDTH	39mm

Heavy duty 2" sander for small and confined areas. Supplied with a wool and sponge buff that attach straight onto the hook & loop backing pad for polishing small areas or where access is difficult.



SANDERS


SI-2107A

50MM MINI DUAL ACTION SANDER/POLISHER

20MM THICK HOOK AND LOOP SPONGE PAD / WOOL BUFF / HOOK AND LOOP SANDING DISCS

BACKING PAD SIZE	48mm dia
SPONGE PAD SIZE	60mm dia
WOOL BUFF SIZE	60mm dia
SANDING DISC SIZE	50mm dia
SPINDLE SIZE	M6x1
ORBIT SIZE	3mm
FREE SPEED	8500 rpm
MAX. AIR CONSUMPTION	326L/min 11.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	0.55kg
BODY WIDTH	35mm

Mini angle head dual action polisher for buffing and polishing small areas where space is limited and tight convex surfaces where large pads cannot fit. Dual action makes for easy operation and a good finish. High quality gears give long tool life.




Attachment	Part No.
Backing Pad	262-21MD
Hook and Loop Sanding Discs	Available in 5 grits - see page
Wool Buff	M-60
Sponge Buff	M-20X60/B



SI-2110

**NEW
MODEL**



75MM DUAL ACTION PISTOL GRIP SANDER

PAD SIZE	75mm dia
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" 24
FREE SPEED	14000rpm
MAX AIR CONS	345L/min 12.5cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	0.52kg
WIDTH	


New model of 75mm pistol grip sander with rubber hand grip for comfort and to reduce vibration. The durable ball bearing design makes it smooth to operate.



AVAILABLE SOON

SANDERS

SI-3102

**NEW
MODEL**


75MM MINI DUAL ACTION PALM GRIP SANDER

PAD SIZE	75mm dia.
PAPER MOUNT	Hook & loop
SPINDLE THREAD	5/16" - 24
FREE SPEED	12000rpm
ORBIT DIA	3mm
MAX AIR CONS	354L/min 12.5cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	0.54kg
WIDTH	75mm

Compact palm grip sander, ideal for denibbing and sanding small surface areas. Popular in the auto panel trade.




SI-3112

**NEW
MODEL**


75MM SELF VAC DUAL ACTION PALM SANDER

HOOK & LOOP PAD / SELF VAC SYSTEM

PAD SIZE	75mm
PAPER MOUNT	Hook & loop
SPINDLE THREAD	5/16" - 24
FREE SPEED	12000rpm
ORBIT DIA	3mm
MAX AIR CONS	354L/min 12.5cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	0.89kg
WIDTH	75mm



Same as SI-3102 but with self vac dust collection system and portable collection bag. Can also be connected to a vacuum system. Exhaust is piped away.


SI-3100



150MM DUAL ACTION BAR HANDLE SANDER

FOAM / PLASTIC BACKING PAD
/ VARIABLE SPEED

PAD SIZE	150mm dia
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	8000rpm
ORBIT DIA	7mm
MAX AIR CONS	326L/min 11.5cfm
NET WEIGHT	1.82kg
WIDTH	150mm



Popular multipurpose sander suitable for most sanding applications and used in many industries including automotive, furniture, fibreglass and other manufacturing plants. Bar handle allows two handed control.

SANDERS

SI-3100V



150MM CENTRAL VACUUM DUAL ACTION BAR HANDLE SANDER

SI-3100 FITTED WITH VACUUM TAKE OFF ACCESSORIES

PAD SIZE	150mm dia
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	8000rpm
ORBIT DIA	7mm
MAX AIR CONS	326L/min 11.5cfm
NET WEIGHT	2.04kg
WIDTH	150mm

Same tool as SI-3100 but with dust extracting accessories that can be connected to a remote vacuum system for a better working environment.



SI-3101-6



150MM DUAL ACTION PALM GRIP SANDER


LIGHT WEIGHT PLASTIC SKIRT / VARIABLE SPEED

PAD SIZE	150mm dia
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	10000rpm
ORBIT DIA	5mm
MAX AIR CONS	312L/min 11cfm
NET WEIGHT	0.92kg
WIDTH	150mm

Industrial palm grip finishing sander for use in the furniture, fiberglass, whitegoods and automotive industries. Compact size, lightweight and low vibration allow maximum operator comfort and productivity.



SI-3103-6A



150MM DUAL ACTION PALM GRIP SANDER

HEAVY DUTY METAL SKIRT / VARIABLE SPEED

PAD SIZE	150mm dia
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	8200rpm
ORBIT DIA	5mm
MAX AIR CONS	397L/min 14cfm
NET WEIGHT	1.20kg
WIDTH	150mm

A heavy duty industrial palm grip finishing sander for use in the furniture, fiberglass, whitegoods and automotive industries. Compact size, lightweight and low vibration maximise operator comfort and productivity.



SI-3105-6



150MM DUAL ACTION BAR HANDLE SANDER

HEAVY DUTY MODEL / VARIABLE SPEED

PAD SIZE	150mm
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	9000rpm
ORBIT DIA	6mm
MAX AIR CONS	425L/min 15cfm
NET WEIGHT	1.67kg
WIDTH	150mm

A powerful heavy duty tool for industrial use. Silenced through-handle exhaust. Special pads are available for surface conditioning discs. Can be used to finish wood, fiberglass or metal.



SI-3111-6



SELF VACUUM DUAL ACTION PALM GRIP SANDER

LIGHT WEIGHT PLASTIC SKIRT / SELF VACUUM SYSTEM / VARIABLE SPEED


PAD SIZE	150mm
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	9500spm
ORBIT DIA	5mm
MAX AIR CONS	326L/min 11.5cfm
NET WEIGHT	1.27kg
WIDTH	150mm

Same tool as SI-3101-6 but with dust collection system and portable collection bag. Can also be connected to a vacuum system.



SANDERS

SI-3113-6A



SELF VACUUM DUAL ACTION PALM GRIP SANDER

HEAVY DUTY METAL SKIRT / VARIABLE SPEED

PAD SIZE	150mm
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	8000rpm
ORBIT DIA	5mm
MAX AIR CONS	340L/min 12cfm
NET WEIGHT	1.59kg
WIDTH	150mm

Same tool as SI-3103-6A but with dust collection system and portable collection bag. Can also be connected to a vacuum system. Exhaust is piped away.



SI-3115R-6




150MM GEARED PALM GRIP SANDER SELF VACUUM

PAD SIZE	150mm dia
PAPER MOUNT	Hook & loop
FREE SPEED	1000rpm
ORBIT DIA	4.4mm
MAX AIR CONS	326L/min 11.5cfm
AIR INLET SIZE	1/4" NPT
NET WEIGHT	1.49kg
WIDTH	150mm

Low speed, high torque sander for heavy sanding work in large areas. Gear mechanism increases the machines power and reduces the possibility of leaving a circular pattern in the job than a single action sander. Supplied with a dust extraction hose and bag. Can be connected to a central vacuum system. Exhaust is piped away.



SI-3118-6



SELF VACUUM DUAL ACTION BAR HANDLE SANDER


HEAVY DUTY / VARIABLE

PAD SIZE	150mm
PAPER MOUNT	Hook & loop or PSA
SPINDLE THREAD	5/16" - 24
FREE SPEED	9500rpm
ORBIT DIA	6mm
MAX AIR CONS	411L/min 14cfm
NET WEIGHT	2.15kg
WIDTH	150mm

A heavy duty tool fitted with a dust collection system and a portable collection bag. Muffled through-handle exhaust for quieter operation. Special pads available for surface conditioning discs. Can be used to sand wood, fibreglass or metal. Available with punch plate for perforating paper discs.



SI-2322WR-E



80MM ANGLE WET DISC SANDER


HOLLOW SPINDLE / CENTRE WATER FEED
PAD EXTRA

PAD SIZE	80mm
SPINDLE THREAD	M14 x 2.0
FREE SPEED	5000rpm
MAX AIR CONS	566L/min 20cfm
NET WEIGHT	1.3kg
WIDTH	122mm

Wet sander used for sanding small areas on ceramic and glass products and all materials requiring sanding with water. Front handle provides greater control in operation. Used mainly in the stone, marble and glass industries. For pad, order 110A-80E



SI-2351W



180MM ANGLE WET DISC SANDER

HOLLOW SPINDLE / CENTRE WATER FEED

SPINDLE THREAD	5/8" - 11
FREE SPEED	4500rpm
MAX AIR CONS	581L/min 20.5cfm
AIR INLET SIZE	1/4 NPT
NET WEIGHT	2.47kg
WIDTH	175mm


Heavy duty wet sander with 178mm plastic backing pad for sanding large surface areas on materials where water is required such as stone, marble, and glass. Also used in the auto panel industry for sanding two pack paints. Handle can be used on either side.

Also Available

For this tool with 14mm spindle thread, order SI-2351WM14



SI-2451W



180MM SLOW SPEED ANGLE WET DISC SANDER / POLISHER

HOLLOW SPINDLE / CENTRE WATER FEED

SPINDLE THREAD	5/8" - 11
FREE SPEED	2300rpm
MAX AIR CONS	552L/min 19.5cfm
NET WEIGHT	2.48kg
WIDTH	175mm

Slow speed wet tool for sanding and polishing stone, marble, glass and other similar products. Supplied with 178mm plastic backing pad for large surface areas and side handle can be used on either side.

Also Available

For this tool with 14mm spindle thread, order SI-2451WM14

