

LONG REACH SCRAPERS & SCALERS

Trelawny Long Reach Scrapers are specifically designed to reduce the risk of back strain and to extend their use into previously inaccessible areas. Available in 60cm (2ft), 120cm (4ft), 150cm (5ft) and 180cm (6ft) lengths.

The Long Reach 'Lite' range are lighter in weight than standard Long Reach Scrapers. This is a particular advantage in vertical applications. Applications include the removal of floor tiles, residues, chemical spillages, ice, roofing materials, metal slag, glues, paints, plaster, render, weld dressing, rail track and infrastructure maintenance, cleaning of boilers and ovens, etc.

These tools are ideal for a range of industries from construction, marine and petro-chemical to general factory maintenance and flooring services. A wide range of tools and accessories are available for the long reach scrapers including needle scaling attachments; 100, 200 & 300mm scraper blades and a full range of standard 5/8" hexagon shank chisels.

Another advantage of Long Reach Scrapers is that they only use 126L/min of air which can be run off a portable compressor.

136.3698S



'LITE' LONG REACH SCRAPER


LIGHTWEIGHT MODELS / AVAILABLE IN 3 LENGTHS / 16MM SHANK BLADE HOLDER

BLOWS PER MINUTE	2200
AIR CONSUMPTION	126L/min 4.5cfm
AIR INLET SIZE	3/8" BSP
WEIGHT	120cm - 3.8kg 150cm - 4.2kg 180cm - 4.6kg

Models:
136.3498S - 120cm long
136.3598S - 150cm long
136.3698S - 180cm long

Can be used with 16mm shank chisels as well as scraper blades.

136.3600S



LONG REACH SCRAPER

AVAILABLE IN 4 LENGTHS / 16MM SHANK BLADE HOLDER

BLOWS PER MINUTE	2200
AIR CONSUMPTION	126L/min 4.5cfm
AIR INLET SIZE	3/8" BSP
WEIGHT	60cm - 4.5kg 120cm - 5.7kg 150cm - 6.3kg 180cm - 6.9kg

MODELS:

136.3200S - 60cm long
136.3400S - 120cm long
136.3500S - 150cm long
136.3600S - 180cm long

Can be used with 16mm shank chisels as well as scraper blades.

137.3500C



LONG REACH CHISEL SCALER

AVAILABLE IN 4 LENGTHS / TAKES 16mm SHANK CHISELS / STANDARD AND LIGHTWEIGHT MODELS

BLOWS PER MINUTE	2200
AIR CONSUMPTION	126L/min 4.5cfm
AIR INLET SIZE	3/8" BSP
WEIGHT STANDARD	60cm - 4.4kg 120cm - 5.6kg 150cm - 6.2kg 180cm - 6.8kg
WEIGHT LITE	120cm - 3.7kg 150cm - 4.1kg 180cm - 4.5kg

STANDARD MODELS:

137.3200C (60cm)
137.3400C (120cm)
137.3500C (150cm)
137.3600C (180cm)

LITE MODELS:

136.3498C (120cm)
136.3598C (150cm)
136.3698C (180cm)

137.3698



'LITE' LONG REACH NEEDLE SCALER

LIGHTWEIGHT AND STANDARD MODELS AVAILABLE IN 4 LENGTHS / 28 NEEDLES

BLOWS PER MINUTE	2200
NEEDLE QTY	28 x 3mm
AIR CONSUMPTION	126L/min 4.5cfm
AIR INLET SIZE	3/8" BSP
WEIGHT STANDARD	60cm - 4.8kg 120cm - 6.0kg 150cm - 6.6kg 180cm - 7.2kg
WEIGHT LITE	120cm - 4.1kg 150cm - 4.5kg 180cm - 4.9kg

STANDARD MODELS:

137.3200 (60cm)
137.3400 (120cm)
137.3500 (150cm)
137.3600 (180cm)

LITE MODELS:

137.3498 (120cm)
137.3598 (150cm)
137.3698 (180cm)

Can also be ordered with 65 x 2mm or 19 x 4mm needles.

LONG REACH SCRAPERS & SCALERS

ACCESSORIES - FOR LONG REACH SCRAPERS




SCRAPER BLADES WITH 5/8" HEX. SHANK HOLDERS

	BLADE WIDTH	BLADE EDGE	APPLICATION	BLADE ASSEMBLY PART NO	BLADE PACK PART NO
	102mm	Square	Removal of paint and adhesive build-up.	1 Blade 1 Holder 431.3504	10 Blades 439.3504
					Holder Only 641.3512
	203mm	Square	Removal of paint and coating spillage.	1 Blade 1 Holder 431.3508	10 Blades 439.3508
					Holder Only 641.3512
	305mm	Square	Carpet and tile removal.	1 Blade 1 Holder 431.3512	10 Blades 439.3512
					Holder Only 641.3512
	102mm	Bevelled	Stubborn adhesive material.	1 Blade 1 Holder 431.3904	10 Blades 439.3524
					Holder Only 641.3512
	203mm	Bevelled	Carpet and tile removal.	1 Blade 1 Holder 431.3908	10 Blades 439.3528
					Holder Only 641.3512
	305mm	Bevelled	Adhesive removal.	1 Blade 1 Holder 431.3912	10 Blades 439.3522
					Holder Only 641.3512

LONG REACH SCRAPERS & SCALERS

ACCESSORIES FOR LONG REACH CHISEL SCALERS

SCRAPER CHISELS WITH 5/8" HEX. SHANK

	PART NO.	CHISEL LENGTH	BLADE WIDTH	APPLICATION
	705.1100	229mm	50mm	Spark resistant aluminium bronze for use in hazardous areas.
	705.1101	229mm	25mm	Flat chisel for sand cast chipping.
	705.1102	203mm	100mm	Asphalt cutter
	705.1106	229mm	50mm	Removal of linoleum from floors.
	705.1112	203mm	100mm	Spark resistant aluminium bronze for use in hazardous areas.
	705.2100	280mm	35mm	Ceramic tile removal, flux chipper.
	705.2102	203mm	100mm	Floor tile removal.
	708.1100	203mm	Comb Holder	For use with comb insert.
	708.1101	25mm	38mm Comb Insert	Brick cleaning and reclamation.